

Code No. 18361

**Anti-Mouse  
KC Rabbit IgG**

Volume : 500 µg

---

**Introduction** : Mouse KC (Keratinocyto-derived Cytokine) is a counterpart of human GRO protein which belongs to IL-8 family, and it has been reported that KC is produced in activated monocyte and fibroblast.

**Antigen** : Recombinant Mouse KC

**Purification** : Purified with Protein A

**Form** : Lyophilized product in PBS containing 1% BSA and 0.05 % NaN<sub>3</sub>

**How to use** : 1.0 mL deionized water will be added to the product (the conc. comes up 500 µg /mL).

**Stability** : Lyophilized product, 5 years at 2 – 8 °C  
: Solution, 2 years at –20 °C

**Application** : This antibody can be used for immunohistochemistry with formalin fixed paraffin embedded tissues by several techniques such as Avidin Biotin Complex (ABC) Method. The optimal concentration is 10 - 20 µg/mL, however, the concentration should be optimized by each laboratory.  
: This antibody can be used for western blotting in concentration of 10 - 20 µg /mL.

**Specificit** : Mouse KC, 100 %  
Rat GRO/CINC-1, 100 %  
Human IL-8, < 0.1 %  
Human GROα, < 0.1 %  
Not cross-react with Rat GRO/CINC-2α, -2β, -3 or Mouse MIP-2

---

*For research use only, not for use in diagnostic procedures.*

Distributed by:



Immuno-Biological Laboratories, Inc. Toll-Free: 888-523-1246  
8201 Central Ave NE, Suite P Email: info@IBL-America.com  
Minneapolis, MN 55432 Web: www.IBL-America.com