

Product Information

Recombinant human FGF-12 protein

Catalog Number: IBFGF0902



PRODUCT INFORMATION

Expression system

E.coli

Domain

1-181aa

UniProt No.

P61328

NCBI Accession No.

AAH22524.1

Alternative Names

Fibroblast growth factor 12, FHF1, FGF12B, Fibroblast growth factor 12, FGF12, Fibroblast growth factor 12 FGF 12, FGF 12B, FHF 1, FHF1, Fibroblast growth factor 12B, Fibroblast growth factor FGF 12b, Fibroblast growth factor homologous factor 1, Myocyte activating factor.

PRODUCT SPECIFICATION

Molecular Weight

22.6 kDa (201aa) confirmed by MALDI-TOF

Concentration

1mg/ml (determined by absorbance at 280nm)

Formulation

Liquid in. 20mM Tris-HCl buffer (pH 7.5) containing 10% glycerol, 1mM DTT, 2mM EDTA

Purity

> 90% by SDS-PAGE

Endotoxin level

< 1 EU per 1ug of protein (determined by LAL method)

Tag

His-Tag

Application

SDS-PAGE

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

FGF12 (Fibroblast growth factor 12) is a member of the FGF superfamily of molecules which currently stands at 22 members. The FGF family members possess broad mitogenic and cell survival activities, and are involved in a

For research use only. This product is not intended or approved for human, diagnostics or veterinary use.



Manufactured for:

Immuno-Biological Laboratories, Inc. (IBL-America)

8201 Central Ave. NE, Suite P, Minneapolis, Minnesota 55432, USA

Phone: (888) 523-1246

Fax: (763) 780-2988

Email: info@ibl-america.com

Web: www.ibl-america.com

Product Information

Recombinant human FGF-12 protein

Catalog Number: IBFGF0902



variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth, and invasion. FGF12 binds to IB2 (islet brain-2), a cellular kinase scaffold, and voltage gated sodium channels and also plays an important role in intracellular signaling and ion exchange. Recombinant human FGF12 protein, fused to His-tag at N-terminus, was expressed in *E. coli* and purified by using conventional chromatography techniques.

Amino acid Sequence


MGSSHHHHHH SSGLVPRGSH MESKEPQLKG IVTRLFSQQG YFLQMHPDGT IDGTKDENS D YTLFNLIPVG LRVVAIQGVK
ASLYVAMNGE GYLYSSDVFT PECKFKESVF ENYYVIYSST LYRQQESGRA WFLGLNKEGQ IMKGNRVKKT KPSSHFVPKP
IEVCMYREQS LHEIGEKQGR SRKSSGTPTM NNGKVVNQDS T

General References

Hubert T., et al. (2008). *J Comp Neurol.* 507(4):1588-601
Nakayama F., et al. (2008). *J Radiat Res.* 49(5):491-501

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.

For research use only. This product is not intended or approved for human, diagnostics or veterinary use.



Manufactured for:
Immuno-Biological Laboratories, Inc. (IBL-America)
8201 Central Ave. NE, Suite P, Minneapolis, Minnesota 55432, USA
Phone: (888) 523-1246 Fax: (763) 780-2988
Email: info@ibl-america.com Web: www.ibl-america.com